######

<alfred@FreeBSD.org>

#########: 43184

2013#11#13 07:52:45 ## ###.

#######

#####® ### ######## ### ## ##### ## ######## #### ## #######.

Dansk version af Laust S. Jespersen <Laust@doc.freebsd.dk>.

####################

1.

########

######. ### ## ##### #### ## ##### ########## ## ### #### ### ## #### ## ##### #### ########### ### ##### ######## ### ############.

###########:

######:	######## ### ######## ####### ## ############# ##########.
######:	######## ### #### #### ####### ########### ## ###.

######: ######## ### ############ #####® ### ####### ##########, ## ######## ###########.

###, ##### ####### ### ########## #############.

#####/############ ## ######### ################ ###### ### ###, ## #### ### ######## ## ###### ## ## ### ######### ######.

###, ## #### ### ##### ## ##################### ## #######, ########## ### #####® ### (#######) ########.

2. ######

1. ######### ####: ######### ###/########3 ## ### ##### ##### ###### ### dhcpd.conf, ### ### ### # /usr/local/etc/.
2. ### #### ###:
    1. ### ###### /usr/tftpboot
    2. ###### ##### ##### ### ### /etc/inetd.conf:

```
tftp   dgram  udp    wait   nobody  /usr/libexec/tftpd    tftpd /usr/tftpboot
```

3. ### ### ###:
    1. ###### ##### ### /etc/rc.conf:

```
nfs_server_enable="YES"
```

    2. ###### ##### ### /etc/exports:

```
/usr -alldirs -ro
```

4. ######## ### ## ### ## ### ######## ### ##### ##### ### #######.

3. #########

1. ######## #########: ######## ####.### ## #######.### ###### ########.
2. ######### ## ###/######## ######:
    1. ### ####### # #### ######:

```
# rm -rf /usr/obj/*
# cd /usr/src/sys/boot
# make
# cp /usr/src/sys/boot/i386/pxeldr/pxeboot /usr/tftpboot
```

    2. ##### kern.flp ##### ### ##### ## ######## ## ###### #### ####### ### /usr/tftpboot:

```
# vnconfig vn0 kern.flp    # associer et vndevice med filen
# mount /dev/vn0 /mnt      # mount det
# cp -R /mnt /usr/tftpboot # kopier indholdet til /usr/tftpboot
# umount /mnt              # unmount det
# vnconfig -u vn0          # disassocier vndevicet fra filen
```

3. ######## ## ######### ###### ### ########## (### ## ##### ###### ############## ####### ### ####) ## ### ### # /usr/tftpboot.
4. ### ## ####### loader.rc ## ######### ### # /usr/tftpboot/boot/loader.rc ## ### #### ######## ### ### ##### ####, ### ## ###.
5. ### ########### ## ################## ### ####### ###### ## ## ########### ###, ### ### ### #/usr/tftpboot ####:

```
# vnconfig vn0 mfsroot.flp         # associer et vndevice med filen
# mount /dev/vn0 /mnt              # mount det
# cp /mnt/mfsroot.gz /usr/tftpboot # kopier indholdet til /usr/tftpboot
# umount /mnt                      # unmount det
# vnconfig -u vn0                  # disassocier vndevicet fra filen
# cd /usr/tftpboot                 # skift mappe til pxeboot mappen
# gunzip mfsroot.gz                # dekomprimer mfsroot
```

6. ### ### ########## ###### install.cfg, ## ### ###### ### ### ## ########, ### ## ## ### ### ## ####### ###.

7. ###### ########## ######## ### # ### ######### ## ############## ####### #####:

```
# cd /usr/tftpboot
# vnconfig vn0 mfsroot
# mount /dev/vn0 /mnt
# cp install.cfg /mnt
# umount /mnt
# vnconfig -u vn0
```

4. #############

1. ### ############# ####### # ## ##### ### ### ### ### ### ## ########. ### ## ##### ### ###### ### ##### ########## # install.cfg ##### ## ### ## ##### ## ####### ############# ####### ###, ## #### #### ### ### ## ## ## ########## ##### ###:

```
ABOUT.TXT      TROUBLE.TXT    compat20     floppies      ports
ERRATA.TXT     UPGRADE.TXT    compat21     games         proflibs
HARDWARE.TXT   XF86336        compat22     info          src
INSTALL.TXT    bin            compat3x     kern.flp
LAYOUT.TXT     catpages       crypto       manpages
README.TXT     cdrom.inf      dict         mfsroot.flp
RELNOTES.TXT   compat1x       doc          packages
```

2. ###### ## ############ ###### ### # ########/### ###### ##### nfs.

3. ### ###### ##, ## ## ### ## INDEX ### ##### #### # ######## ######. ## ### #### #### #### INDEX ####### ##### ###:

```
alfred-1.0||/|Alfred install bootstrap||alfred@FreeBSD.org||||
```

######, ######## ### #### ########## ############ #####.

5. ######### ############

pkgmaker.sh ### ## #### ## ######### ##### ### #### #######. ##### ## ## ##### ### ### ## ########## ## ########### ## ######### #### ## ### #### #####. pkgmaker ##### # ###### ######## ### ##### ## ####### ## #### ### ### ### ######## ### ###### (#. ### #####) ### ## ### #### ## #####.### ### ## ## ### ######### # ### ########## #####.

PLIST ### ########## #### ## ##### ## ###### ## ########## ## ## ############ # ### #####.

pre ## post # ### #####, ##### ## ##### ####### ### ## ### ########## ### ## ##### ### ###### ## ###########.

install.cfg ### ##### ### ##### #### ## #### ### ###### ############# ### ###.