#########
####®###########

######### ######### <andrsn@andrsn.stanford.edu>
#######: 43184

####### ### ### ############## ############ ### ####### ##########.

###, ###, ##/2, #######, ##/2, #/390 ### ######## #### ############ ### ################# ######### ######## ########### ## ### ########### #######, ####### ####### #### ######.

#########, ######, #######, #######, ####### ##### ### ####### ## #### ######## ############ ############ #### ############ ### ######### ########### ## ### ############ ####### ###/#### ## ####### #######.

######## ### ######### ######### #### ############ ############ ### ######## ############## ########### ## ### ########### ####### ### ## ####### #######.

#####, ###/1 ### #### #### ############ ############ ### ## ######## ### ### #### ##### #### ############ ### ### #### ##### ## ### ########### ####### ### ## ####### #######.

############. ###### ### ####### ####### ### ############ ####### ###, ###### ### ## ###### ######## ############ ############# ### ### ###### ### #### ### ###### ### ##############.

2013#11#13 07:52:45 ### ###.

################

########! ##### ########## ### ### #### ######## #######, ### ####### ### ####® #### ##### ######, ### ####### ##### #### ###### ############ #############. ## #### ##### ###########, #### ### ####### 2.0.5 #### ##### ## ### ### #######.### ################ #### ########### ##### ##### #### #### ########## ### ###/#######® #### ##/2® ########.

Übersetzt von Fabio Tosques.

###################

1. ### ###

(#### login: ## ########## #########) ### ######### ########, ### ### ####### ### ############ ######## #####, #### ### root ##. (### ############################# #### ## ##### #### ##### ######## root ##; ###### #### ### ### ###### #### ##### ###, ############## ### ####### ### ######### #######. ##### ### #### ##########, #### ### #### ### root ########.) ### ####### % ### # ####### ## ######### ### ################### ###, ##### % ### ### ############ ######## ### # ### ### ######## root #####.

##########, #####

```
# exit
```

(### #### ### ###### login: #########). ####### ### #### ##### ###### ### ########### ### ######## ###, #### ####® ######## ##### ### ############### ############# # exit ### EXIT #### #### #### ############ #######.

################, #####

```
# /sbin/shutdown -h now
```

###.

#######, #####

```
# /sbin/shutdown -r now
```

###, #### ### ##### #######

```
# /sbin/reboot
```

###.

####+###+#### ### #######. ###### ### ######, ### ### ######## ####### ###. ##### ################# ### ## ####### ################# ### /sbin/reboot ######### ### #### ###### ### ### ####### ### #############. ### ###### ### ###### ## ###### ##### #### ###### ### ############, ####?

2. ##### ##### ######### #######, ### **root**####### #########

root ########## ####, ####### ###

```
# adduser
```

#######.

adduser ### ##### ### #########, ###### ### #######, ## ### ###### ##################### ########### #######. ########### ####### ### ###(1) ###### ##(1) ### ############# ######### (##### sh ### ############# ######### ####). ##### ###################### #### ## /etc/adduser.conf ########### ### ###### ### ##### ######### ######.

##########, ### ####### ### ######## jack ### ### ############# ##### *Jack Benimble* #######. ###### ### jack ### ##### #### ### ######## ## (#### ######, ### ### ### ######## #######, ###### ### ####### ##########). #### ### ####### ######, ## jack ######## ## ####### ####### #### ####, ##### ### wheel ###.

```
Login group is ‘‘jack". Invite jack into other groups: wheel
```

####### ###### ### #### ### jack ########, ### ### ##(1) root####### ########. #### ###### ### ### ###### ##### ########## ######, #### ### #### ### root ## ###### ########.

adduser #### ######### ### ####+# ####### ######. ## ###### ##### ### ### ###########, ### ############# ### ### ##### ######## ######## ## ############# #### ##### ### # ## #########. ### ####### #### ##### ####### ######## #######, ##### ### #### #### ### ### ###### ######### ######, #### ### ### ############ ### jack ########## ### ##### ##### ###### ####### #####.

########, ##### ### exit ###, ##### ### #### ### jack ######## ######. ## ### ######## ########, #### ##### #######, ### ############# ######## ### ##### ### ### ########### ######## root ## ########.

######, ### su root# ###### ## ########, ###### ### #### ### root ######## ### ### ##### /etc/group ########. ##### ### ## ### ###### ##### (### ###### wheel) ### ######## jack ###. ### ####### #### ### ###### ### ### ########## ##(1) ########. ########## ###### ### #### ### ######### ## ########### ########## ##(1) #########, ### ### ######### ################ ########### ########### ####.

rmuser ###### ### ##### ######## #######.

3. #### ## ######

####### ### ### ### ############ ######## ########## #####, ##### ### ### ### ## ###### ## ### ###### ###### #######, ### ### ### ####### ### ### ############# ########### ##### ###### ############# #### ##### ###### #######.

id

###, ### ### ####!

pwd

###, ## ### ### ########, #### #### ### ######## ########### (*working directory*) ###.

ls

###.

ls -F

*, ############# ### ##### /, ##### ########### ##### ### @.

ls -l

###, ##### ###### #####, ##### ### ###### #########.

ls -a

(## ######## #############). ##### ### ### root ######### ####, ###### ### ############# #### #### ### ###### -a #########.

cd

######## ### ###########. cd .. ######## ## ### ##################### #### ##### #### #### (######## ### ### ########### #### cd!). cd /usr/local ######## #######. cd ~ ######## ######## ## ### ################# ### ############# #########, ## ####### #### #### /usr/home/jack. ##### ### cd /cdrom, ####### ### ls, ###, ## ##############, ## ### ################ ########### ### ### ############.

view Dateiname

Dateiname ### ### ########## ##. ##### ### ###### ### ##### ## #### ###, ### ### ### ### #### #####, ########## ### ### ############ ### ####### #### ### #### ##########,

########. ### ###### ### ############ #### ### ########### #########. ####### ### ### ############ ########, ## ### ######## ## #######. ### ####### #### #### ####### ### ########### ####### ## ##### ################# ### cat #######: cat .cshrc, cat .login, cat .profile.

.cshrc #### ###### ######### ###### ### ### ###### ls #########. #### ###### ### #### ########### ###### ##########. ## ##### ###### ##### ######### ### ######### ## #######, ###### ### ##### ## /etc/csh.cshrc, ### ############ ################### ### csh, #########.

4. ##### ### ##############

#############. *Text* ##### ##### ### #####, ### ### ######## ###### # ######## ##### ###### #### ##### ##########.

apropos text

#######, ### ### ############ *text* ## ### ################ #######, #### ###########.

man text

text. ########### #### ### ####################### ### ####®########. man ls ##### #### #############, ### ls ######### ###### ####. ####### ### ##### ## ################, ####+#, ## #### ##### ###### ## ########, ####+#, ## #### ##### ######## ## ######## #### ####+# ### #######.

which text

#####, ## ####### ########### ### ###### *text* ## #### ### ######### ######## ####.

locate text

#############, ###### ### ############ *text* #########, ###### ##########.

whatis text

###, ##### ### ######## *text* ##### ### ###### #############(#) ## ##### ####. whatis * ####### ##### ############# ## ##### ############ ####### ### ######### ##############.

whereis text

text ###.

whatis ### ####### ########## ######## ### cat, more, grep, mv, find, tar, chmod, chown, date, ### script ###. more ############ ##### ## ### ##### ### ### ##### ### ###### ### ##### ########### ##. ls -l | more ########## ##### more Dateiname. ### *######## ##### ### ###########, ls w* ##### ##### #### ####### ##, ### ### w ########.

############ ### #### #### ###### ###### ### ##### #####? ###### ######(1), ### #### ######(1) #### ### ##### ######### ########, ### ########### ############ ####. ##### ### ####### ##### ####### #####, ###### ### ### #########, ############# ### ########### ############### #### ####### #######. ###### ### #### #### ### root ##. ###### ### ####### ### ### #### ##### #######, ##### ### ### ######## ###### ########.

```
# periodic daily
output omitted
# periodic weekly
output omitted
# periodic monthly
output omitted
```

################, ### ########## ######## ##### ####®######## #### ### #### #### ### ############# ### #######. ### ###### #### ### ### root ########, #### ### ### ###### ######### #######. #### ###########, ### ###### ## ###### ###### ####### #### ####® ######### ####, ### #### ###### ### ############## ### ############### ######. ############### ###### ### ####®#

################### #### ### *UNIX System Administration Handbook* ### ### ###### ##.##. (############, 1995, #### 0#13#15051#7, ### ###### ####### ### ### ##### #####), #### *Essential System Administration* ### ##### ###### (######## & ##########, 2002, #### 0#596#00343#9).

5. ###########

######, ###### ### ###### ########### ##########. ### ####### ##################### ######## #### ## ########### /etc. ## ##### ######### ## ######, ###### ### ### su ## root ######. ### ###### ### ######### ###### ee #########, ### ##### ##### ##### ## #### ####, ### ######### ### vi ## ########. ##### ### ### ############# ########### #####, ######## #### ##### /usr/src/contrib/nvi/docs/tutorial ### ############### ######## ## vi.

##########, ####### ### #### ################ ### ##### #######. #### ### ############## /etc/rc.conf ######### #######, ######## ### ### cd /etc #### /etc ### ##### ######### ###:

```
# cp rc.conf rc.conf.orig
```

####### #### #### ##### ### rc.conf ### ### ##### rc.conf.orig ########, ### ### ### ######## ### ######## ################ ######, ##### ### etc.conf.orig #### etc.conf ########. #### ###### ### ##, ### ##### ###### ## ########### (############) ### #### ## ########:

```
# mv rc.conf rc.conf.orig
# cp rc.conf.orig rc.conf
```

mv ### ##### ### ### ######## ### ##### ######## #######. ###### ###### ### ### ##### rc.conf ##########. ####### ### ### ############# ################, ##### ### **mv rc.conf rc.conf.myedit** (##### ### ### ########### ####### ######## #######), ####### ###:

```
# mv rc.conf.orig rc.conf
```

###, ## ### ################ ##################.

##########, #####

```
# vi filename
```

###.

######### ### ###### ###### ### #### ### ### ########### #######. ### ### ######### ######## vi ## ### #############. ###### ### ########### ######### ####:

x
: ###### ### ########## ##### ### ######

dd
: ###### ### ######### #####, #### #### ##### ## ########## ########### ####.

i
: #### #### ## ### ############## ###.

a
: #### #### ###### ### ###### ###.

####### ### i #### a ########## #####, ###### ### #### ### ##### ##########. ### Esc ###### ### ###### ## ### #############, ## ### ##############

:w

########, ## #### ########## ## ######### ### ### vi ############## ######.

:wq

######### ### #######.

:q!

#######, #### ### ########## ## #########.

/text

text; /Enter (### ###########) ###### #### ### ####### ######### ### *text*.

G

#####.

nG

n ### #####, ##### *n* ### #### #### #####.

####+#

######## ### ########## ###.

####+# ### ####+#

#####, ###### ## more ### view.

vi ## ##### #################, ##### ### #### ##### ####### ### ###### ###########, ### ##### ######### ### ###### ########. vi ##### ######## ###### ####–##########, ## ## #### ## ### ######### ######## #######. ######## ###### ### ############# ### ###–##### #########, ### ##### ####### ###, ### ### ########. (vi ### #### ################ ### ### #### ###### ####. ##### ### #### ###### ### ######## :r ###.) ####### ### ### ######### ##### ##### ### ######, ## ###### ## #####, #### ### #### ## ############# ######## ### ######## ### ## ###### ##### ######, ##### ######## #########. ######### ### ### ##### ##### ###### ### :w, ### ##### ### :q! ###, ## ### ##### ## ######## (####### ######, ### ####### :w#########), ##### #### ##### #### ######.

cd #### /etc ########, ### su ## root ######, ### ### vi /etc/group ######### ### ##### ######## ### ###### wheel ##########, ##### ###### ### su root####### ######## ####. ##### ### ##### ###–#### ### ##### ### ### ########### ### ######### ## ### #### ### ###### ##### ##, ####### ### ### ### :wq (## ### ##### ## ######### ### ### vi ## #########). #### #########, ##### ####? (### ##### ########### #### ########### #### ### ##### #########?)

6. ####### ### ##### ### ###

############, ##### ###### ### #####, ### ### #### ##### ### ##### ########## #######, ##### ### #### ######## ####### ### #### ##### ### #########. ####### ### #### #########, ### ### ########### ######### ###### (### #### ####### ###), ##### ### ### man chmod ### ############# ########## ###. ###

```
% man chmod | col -b > chmod.txt
```

######## #### ############## ### ###### ### ####### ### ########## #### chmod.txt ##, ##### ##### ### ### ########## ##########. ##### ### ###### #### ################ ######## ## ### ################# a ### ### ##### ### su ###, ## ## root ## ######. ###### ### ###

```
# /sbin/mount -t msdosfs /dev/fd0 /mnt
```

###, ## ### ################# ##### /mnt ###########.

root####### #### #########, ###### ### ##### ### ####### ### exit ###### ## jack ### ######## #### ## ### ###########, ## ### #### chmod.txt ########, ### ######## ##### #####

```
% cp chmod.txt /mnt
```

########. ###### ### ### ls /mnt ### ###### ### /mnt ##. ### ######## ####### ### chmod.txt ########.

/sbin/dmesg ## #### ##### ##, #####

```
% /sbin/dmesg > dmesg.txt
```

######## ### ##### ##### ######### ### ### ######## ########. ### /sbin/dmesg ###### ### #### ####### ### ############ ########### ######### ########. ## ### #######, #### ### ##### ######### #########, ## #### ######### ####, ###### ######## ### ####### #### ########### ######## #####. ##### ### ###### ### ### ############ ####### ### ######### ## ######## <de-bsd-questions@de.FreeBSD.org> #### ## ###### ####### (#### ######## ####### #### ############ #####, ### #### ### ###?#), #### ### ### ######, ### dmesg #######.

############ ###### ### ### ################# ###### ### ### ############### ######### (#########), ## ### ######## ## #########. #### ############ ######### ### ### root:

```
# /sbin/umount /mnt
```

(#######®). ######## ### ### ####### ## ### ###########. ### ###### ### ### ####### ### ### ####, #######® #######, ####### #### ##### ####### ###############, ######### ### #####, ##### ### ######## ########## ######### ######, ### ####### ### ##### ##### ### #### ####### ###. ########### ###### ##### ### ## ###### ### print ###########.

############, #### ### ############### ####### ## /etc/printcap ### ### ################# ##### /var/spool/output ######## ######. ##### ### ####### ## ###0 (########### ###1 ##### ###) ############# ###, ###### ### ############### ### #### /var/spool/output ######## ### (### root) ### ########### lpd ### mkdir lpd #######, ##### ## ##### ##### ######### ###. ###### ###### #### ### #######, #### ## ############# ###, #### ###### ###### ### lp #### lpr ###### #### ##### ### ####### ######## ### #########. ## ### ##### ########### ########### ####, ##### ### ### ############# ### ######## ##, ### ## ####### ######## ########### ########### ###.

7. ####### #########

df

(*gemountete*) ########### ##.

ps aux

##. ps ax ######## ##### ####### ##### ###.

rm dateiname

dateiname.

rm -R dir

dir ### #### ################## # ########!

ls -R

###. ### ######## ls -AFR > where.txt #### #### ######### ######, ## #### ##### ##### ####### ##### / ### (#######) ##### /usr ## ########. ########## #### ## ####### #############, ######### ####### ## ######.

passwd

(#### ### root).

man hier
####®#############.

find, ## ##### /usr #### ####### ############## #### dateiname ## ######:

```
% find /usr -name "dateiname>"
```

"dateiname" ##### * #########. (*dateiname* #### ##### ## ########### ######.) ###### ### find ##, ## / ##### ## /usr ## ######, ###### #### ############ ############ ##########, ###### ### ############### ##############.

####, ## ### ######### ####®######## ########### ######, ### *Unix for the Impatient* ### ######## & ###### (2## ##., ##############, 1996). #### ## ######## ###### ### ##### ############# ## ####®.

8. ### ########

######, ## #### ### ##### ###### ###############, ####### ## ######### ### ##### ## ###### ## ######. ##### ######### ############# ###### #### ## ################# (### ########## ##### ### ##### ########## ###) ### ### ### ####### ########. ##### ############# ### ##### #### ###### ### ### ############## ### #### ### ### ######## #########. ## ######## ###### ### ########, ### ### ### ###### ######## ######. ###### ############ ### ### pkg_add /cdrom/packages/All/Paketname, ##### *Paketname* ### ### ########## ### ####### #####. ### ### ###### ###### ### #### #### ##### ### ###### ### ##### ######### ##### ###### ############. ##### ### #### cdrom/packages/index, cdrom/packages/index.txt ##### cdrom/ports/index. #### ############ ############ ### ########## ##### ###### ### ## /cdrom/ports/*/*/pkg-descr, ##### ### *######## ### ### ######### ### ### ################ ### ########## ######### ######.

(### ########## ### lndir ### #######), ###### ### #### #### ########### ############, ### ## ### ##### ########## ############:

####, ### ### ############ #######, #### kermit. ### ### ###### ###### ##### ### ############## ########### ######### ####. ######## ### ####### ################ #### /usr/local (### ##### ##### ### #########, ### ########### ###### ### ##### ######### ########## #### ######):

```
# cp -R /cdrom/ports/comm/kermit /usr/local
```

/usr/local/kermit ########, ## ### #### #### ####### ### ################### kermit ### ###### ######.

mkdir ### ########### /usr/ports/distfiles ##, ##### ###### #### ##### #########. ###### ### #### ## /cdrom/ports/distfiles #### ### #####, ### ### ##### ### ##### #######, ### ### ############ #######. ######## ### ##### ##### #### /usr/ports/distfiles. ##### ####### ######### ###### ### ###### ####### ############, ## ####### #### ########### ########.

######## ### ### ### cd #### /usr/local/kermit. ## ###### ########### ######## #### ####### ### Makefile. ##### ### #### ######### ###:

```
# make all install
```

####### ### ############ #### #### ### #### #### ######### ####### ### ### #####, ### ### ############ ######## ######, #### ##### ### ### ###### #### ##### /usr/ports/distfiles ######### ####. ##### ### #### ##### ################# ##### ### ### ########## ####### ##### ## /cdrom/ports/distfiles ######### ####, ###### ### #### ### ####### #### ##### ####### ####### ######## ### ####### #### /usr/ports/distfiles ######## (########## #### #### ######## #### ##### ### ######### ##### #############. ##### ### ## Makefile (### cat, more #### view) ####, ## ### ####### ## ###### #### (##### ### ### ########## ### #########) ### ######## ###

#####. ##### ### ### ##### ##### ### ########, #### ### ######### ############## #######. ## ###### #### ###### ###, ####### ### ##### #### /usr/ports/distfiles ####### #####, ### ############## ##### ### mv ################, ##### ### ##### ### ### #################### ######## ###### ####. ##### ### ### ##### ### ### ########, ###### ### ### ########### #########. ### ######## ### ###### #### /usr/local/kermit (#### ######## #### ## ### ### ############ ###### Makefile) ### ############ ### ######## ### make all install.

#########, #### ###### ######### ######## ###–###. ##### ### ############ ############## ### ##### #### ##### #### ##### ######### ####### ########, ###### ### ###### ### ########### #### ### ############# #### ############, ##### ### ### ### ######–###### ########## ######.

#############, ##### ### rehash ###, ##### ####### ### #### ### ######## ### ####, ## ###### ######### ## ###### ####. (##### #### ######### ### whereis #### which ##### ################ ### #### ### ##### #########, ###### ### ### ################ ## ##### .cshrc ## ################# #####–####. ### ############## ### ##### ####® ######## ### ##### ###. ### ######## ########### ### #####–##### ### ################## ##### ## ################# ################ #########. ######## #### ### ############# ##### ## ######### ###########, #### ./ ### ### ###### ########## ######, (##### #### ### ##### #### ########### ###### ####), ##### ### ##### ########## ####.)

########## ####### ### #### ### ####### ####### ### ########®######### (## ###### ### ### ######### ### ########®) ############, ### ### ## #### #### ################ ####. #### ###### ### ########## ### # ############# ########### #####. #### ### ############# ######### ### gunzip dateiname ### tar xvf dateiname, ## ### ##### ## #########. ###### ######## ### ### ########## #### /usr/local/bin #### ### ####### ########### ##### ######, ### ##### ############ rehash ###. ##### ### #### ## /etc/csh.cshrc, ### ############ ################### ### csh, ######## ###### ###:

```
setenv XKEYSYMDB /usr/X11R6/lib/X11/XKeysymDB
setenv XNLSPATH /usr/X11R6/lib/X11/nls
```

###########, #### XKeysymDB ### ### ########### nls #### ##### /usr/X11R6/lib/X11 ########. ### #### ### ##### ###### ##### ### ####, ###### ### ##### ###### ### ####### ########.

########® ##### ### #### ### ### ###### #### #### ### ########### #####, ###### ### ######### ######, ##### ############# /usr/local/bin/netscape ##### ### #### ########## ## ########, ## ## #### ### ###### ##### ### ## ### ############ #######, ### ### ################## ### ### #####. ###### ### ### #### ########## ########### ###### netscape.bin ### ######## ### ### #### ####### /usr/local/netscape/netscape.

9. ###

################. ##### ### ##### ### ##### #######.###. ### ##### ############# ### #######, ### ### ### ### ############# ######## ### ############ ## ### ### #### ### ################. ### ###### #### ############ #########, ### ### ################# ####### ####. ## ####### #### ##### ## #### ##### ### ########, ### ############### ########## ######.

###########: csh ### sh. csh ### ### ### ###### ### ### ###–########## ###########, ######## ####### ########## ### sh (#### ### bash) ########### ######. ### echo $SHELL ###### ### ############, ###### ##### ####### ####.

csh###### ### #### ##### ########, #### ### tcsh###### #### #####, ### ### csh #### ### ####### ####. ### ####### ## #####, ########### ####### ### ### ########### ###### ########## ### ##### ##### ## #########. ########## #### ####### ###### ### ### ################ ########### ############### ###–### (csh ##### ##### ###) ### ### cd - ###### ### ####### ## ### ####### ########## ########### ########. #### ### ###### ##### #### ##### ### tcsh###### ########## ######### ########. ### ##### ############# ########### ### ###### ### ### ###############.

############, ##### ### ### ##### ###:

1. ############ ### ### ###### ### #### #### ##### ##### ##, ### ### ##### ###### ######## ### #### #### ##### ############ #######. ##### ### #### rehash ##### which tcsh ### (### ###### #### ##, #### ### tcsh ############ #######), ## ###### ## #####, #### ##### ####### ########### #####.
2. ### root ######### ### ### /etc/shells, ### ##### #### ##### ### ### #### ##### ###, ## ####### #### #### /usr/local/bin/tcsh. ####### ######### ### ### ###### (###### ##### ######### ###### ####### ########### ### ###.).
3. ###### ### chsh, ## tcsh ######### ### #### ##### ## ##########. ########## ##### ### ####### tcsh ###, #### #### ### ## ###### ##########.

#########

####® ###### ######## ###, #### root #### ###### ##### ### sh #### csh ########## #####; ### ###### #### ##### ############### #####, #### ### ###### ## ################# ########## #####. ### ###### ####### #####, su -m ##########, ## root ## ######, #### ##### root ### tcsh ########## ####, ## ##### ##### #### ### ######## ###. #### #### #### #### ### ##### ## .tcshrc ########### ######:

```
alias su su -m
```

tcsh #######, ###### /etc/csh.cshrc ### /etc/csh.login ########## (###### ### csh). ######### ########## ###### .login ### .cshrc ### ####################, ##### .tcshrc ##### ######## #####. ### ###### #### ####### .cshrc #### .tcshrc ########.

tcsh ### ########### ###, #### ### ###### ######### ######. ####### #### ###### ### ## ####(1). ### #### ############### ##### ###### ### ## #### .tcshrc #########. ####### #### #########, ### ##### ####### ####### ########## ######. ######## ######## ### ### ######## ####### ##### ### ######## ###################. ### ### ############ ######## #### ### > ### ### root ### # ##########. ##### ####### ## #### ## ### #################### ### tcsh:

= #%# %# %# %#

######, ### ### ########## #### ####### ##### #### #### ###(#?######) #####. ############ ### ### #### ##### ###, ##### ##### ######## ###### ####### ###### ####. ######### ### #### ### ###### #### ### ########### ### ###########. .tcshrc #### ### ##########, #### ### source .tcshrc ########.

###, #### ### ## ###### env ########. ### ##### #### ### ##############, ######, ############ ### ##### ###### ##################. ##### ### ##### ### ##### ########## ####### ######## ### ### ######## ##### ####### ######, #### ### ######## #### ##### ## ### #### ###, #### ### ####### ### setenv TERM vt100 #### ######### ####.

10. ###### ##############

root ###### ### ### ################ ### /sbin/umount /cdrom ########, #### ###### ###### ######## ### ### /sbin/mount_cd9660 /dev/cd0a /cdrom ###### ######### (##### ##0# ### ########## ##### ################# ###). ### ####### ################# #### ##### ### /sbin/mount /cdrom ######### ######.

(### ###### ##############) #### ######### ####, #### ### ##### ###### ### ######## ############# ######### ###. ### ##### ### ###### ####### ######### ###, ######## ### ####### ## #######. ########## ###### ############# ###### ### ###### ######## ######. #### #### #### #### lndir ######### ####, ##### ##### ######### ######, ## ### ### ### ##### ########## ####### ######,

/cdrom ### ##### ##### /usr ### ### ############## ################### ########, ### ## ##### ######### ########. ##### ### #### #### #####(1).

11.

########, ##### ## #### ##############, ## ##### ######## ####### ####, ### #### ####### ###### ######, ### ## ##### ##### ########## ######## ###. ### ##### ###### #. #####, ################### ## ########## #####, ##### #### ###### ### #### ########### ##########.

######## ########, <andrsn@andrsn.stanford.edu>